



RAY8

RAY8S

RAY6

RAB[®]
DESIGN

RAY-LED Bollards

2021

DESCRIPTION

SLEEK & MODERN UNIFORM ILLUMINATION

Architectural bollards in a sleek design that deliver uniform, even illumination.



RAY6



RAY8



RAY8S



PRODUCT FEATURES

- Architectural bollards in round (RAY6 and RAY8) and square (RAY8S) designs. 38" in height.
- Adjustable head for easy installation.
- Ruggedly designed with die cast aluminum body and polycarbonate lens.
- Custom designed twist and lock mechanism for easy installation.
- Multiple beam configurations: RAY6/8 - 360° / 180°
RAY8S - 360° / 270°.
- RAY6 is a lumen adjustable unit where the Installer can choose between 3 lumen output settings.
- Bronze finish is standard. Custom Colours available.

TWIST & LOCK MECHANISM (RAY6)

1. Place fixture shaft on base.
2. Twist to lock it in place.
3. Tighten set screw to hold fixture in place.



RAY-LED SPECIFICATIONS

	RAY6-LED25A8**	RAY8-LED20	RAY8-LED35	RAY8S-LED25	RAY8S-LED35
WATTS (W)	26	20	34	25	34.2
LUMENS (LM)	Max 3550	2715	4589	3,494	4833
EFFICACY (LM/W)	136.2	133.1	135.9	139.9	141.3
BEAM DISTRIBUTION	360°/180°	180°	360°	270°	360°
VOLTAGE	120-277V*, 347 (optional)				
COLOUR TEMP	3000K, 4000K*, 5000K				
FINISH	Bronze*, Custom Colour				

* Standard

** Adjustable Lumen Output Fixture

RAY-LED CERTIFICATIONS



ORDERING GUIDE



FIXTURE	WATTAGE	VOLTAGE	COLOUR TEMP.	OPTICS	FINISH	DIMMING	MISC.
	LED25A8	B - 120-277V* C - 347V	3K - 3000K 4K - 4000K* 5K - 5000K	360 - TYPE V* 180 - TYPE III	BRZ - BRONZE CC - CUSTOM COLOUR	DIM - 0-10V DIMMING	BLANK SP10 - 10KV SURGE PROTECTION



FIXTURE	WATTAGE	VOLTAGE	COLOUR TEMP.	OPTICS	FINISH	DIMMING	MISC.
	LED35* LED20	B - 120-277V* C - 347V	3K - 3000K 4K - 4000K* 5K - 5000K	360 - TYPE V* (Only Available in LED35) 180 - TYPE III (Only Available in LED20)	BRZ - BRONZE CC - CUSTOM COLOUR	DIM - 0-10V DIMMING	BLANK SP10 - 10KV SURGE PROTECTION



FIXTURE	WATTAGE	VOLTAGE	COLOUR TEMP.	OPTICS	FINISH	DIMMING	MISC.
	LED35* LED25	B - 120-277V* C - 347V	3K - 3000K 4K - 4000K* 5K - 5000K	360 - TYPE V* (Only Available in LED35) 270 - TYPE III (Only Available in LED25)	BRZ - BRONZE CC - CUSTOM COLOUR	DIM - 0-10V DIMMING	BLANK SP10 - 10KV SURGE PROTECTION

* Standard Configuration



Check out RAB Design's Outdoor Architectural Lighting Showcase

Featuring:

- [RAY-LED](#)
- [RD-L8](#)
- [VEKX](#)
- [SKYLINE](#)
- [ORA](#)
- [LIGHT COLUMNS](#)



THANK YOU

FOR ANY INQUIRIES,
CONTACT YOUR LOCAL RAB DESIGN LIGHTING REP
OR OUR CUSTOMER SUCCESS TEAM

TOLL FREE: 1-800-268-0381